

A R T S P E C T R U M
MANUFACTURING CO. PTY. LTD.
ACN 060 705 679
P.O. Box 287, Brunswick, 3056, Victoria, Australia
Phone 61 03 9387 9799 Fax 61 03 9830 4825

M A T E R I A L S A F E T Y D A T A S H E E T

DATE OF ISSUE: APRIL 2007

REVISION: 01

PAGE 1 OF 3

Classified as hazardous according to criteria of NOHSC

I D E N T I F I C A T I O N

PRODUCT NAME: OX GALL

OTHER NAMES: NONE

MANUFACTURER'S PRODUCT CODE:

UN NUMBER: N/A (NONE ALLOCATED)

DANGEROUS GOODS CLASS AND SUBSIDIARY RISK: C2

HAZCHEM CODE: N/A

POISONS SCHEDULE NUMBER: N/A

USE: ART WORK

PHYSICAL DESCRIPTION/PROPERTIES

APPEARANCE: CLEAR LIQUID

BOILING POINT(°C): NOT DETERMINED

VAPOUR PRESSURE (PASCALS OR MM OF HG AT 20°C): NOT DETERMINED

SPECIFIC GRAVITY: 1.0 - 1.2 AT 20°C

FLASHPOINT (°C): > 150°C

FLAMMABILITY LIMITS (%): NON FLAMMABLE

SOLUBILITY IN WATER (G/L): DILUTABLE

OTHER PROPERTIES: PH;5.5-7.5(1%AQUEOUS SOLUTION), INCOMPATIBLE WITH OXIDISING AGENTS

INGREDIENTS

CHEMICAL ENTITY: OCTYL PHENOL ALKOXYLATE

CAS NUMBER: 96910-36-0

PROPORTION: OCTYL PHENOL ALKOXYLATE 99-100%, WATER 0-1%

Classified as hazardous according to criteria of NOHSC

H E A L T H H A Z A R D I N F O R M A T I O N

HEALTH EFFECTS

NO ADVERSE HEALTH EFFECTS IF THE PRODUCT IS HANDLED IN ACCORDANCE WITH THIS SAFETY DATA SHEET AND THE PRODUCT LABEL. SYMPTONS THAT MAY ARISE IF MISHANDLED AND OVEREXPOSURE OCCURS ARE:

SWALLOWED: NO ADVERSE EFFECTS, HOWEVER, MAY CAUSE NAUSEA AND VOMITING.

EYE: MAY CAUSE IRRITATION

SKIN: MAY CAUSE SLIGHT IRRITATION UPON REPEATED OR PROLONGED CONTACT. WILL HAVE A DEGREASING ACTION ON SKIN.

INHALED: IF USED IN AN UNVENTILATED AREA, VAPOUR OR MIST CAN CAUSE RESPIRATORY IRRITATION.

CHRONIC EXPOSURE: NONE ESTABLISHED

FIRST AID

SWALLOWED: RINSE MOUTH WITH WATER, DO NOT INDUCE VOMITING, GIVE GLASS OF WATER, SEEK MEDICAL ADVICE.

EYE: RINSE EYE WITH WATER , IN ALL CASES OF EYE CONTAMINATION IT IS SENSIBLE TO SEEK MEDICAL ADVICE.

SKIN: IF IRRITATION OCCURS, WASH WITH RUNNING WATER AND SEEK MEDICAL ADVICE.

INHALED: REMOVE SUBJECT FROM AREA OF EXPOSURE, ALLOW PATIENT TO ASSUME MOST COMFORTABLE POSITION AND KEEP WARM. KEEP AT REST UNTIL FULLY RECOVERED. SEEK MEDICAL ADVICE.

ADVICE TO DOCTOR:

TREAT SYMPTOMATICALLY

P R E C A U T I O N S F O R U S E

EXPOSURE STANDARDS: N/A

ENGINEERING CONTROLS: USE IN VENTILATED AREA.

PERSONAL PROTECTION: SAFETY GLASSES AND GLOVES.

FLAMMABILITY: COMBUSTIBLE LIQUID, WILL EMIT TOXIC FUMES ON BURNING, INCLUDING OXIDES OF CARBON, WEAR APPROPRIATE BREATHING APPARATUS WHEN FIREFIGHTING.

S A F E H A N D L I N G I N F O R M A T I O N

STORAGE AND TRANSPORT: STORE IN COOL DRY AREA WELL VENTILATED OUT OF DIRECT SUNLIGHT. INCOMPATIBLE WITH OXIDISING AGENTS.

SPILLS AND DISPOSAL: SLIPPERY WHEN SPILT, CLEAN UP IMMEDIATELY USE ABSORBENT (SOIL, SAND OR OTHER INERT MATERIAL) WASH AREA DOWN WITH EXCESS WATER AND DETERGENT, PREVENT RUN OFF INTO DRAINS AND WATERWAYS.

FIRE/EXPLOSION HAZARD: COMBUSTIBLE LIQUID

OTHER INFORMATION:

NOT CLASSIFIED AS DANGEROUS GOODS BY THE CRITERIA OF DANGEROUS GOOD CODE

Classified as hazardous according to criteria of NOHSC

C O N T A C T P O I N T :

ANY FURTHER TECHNICAL INFORMATION - PHONE (03) 9388 0766

NB - THE INFORMATION ON THIS M.S.D.S. IS BASED ON OUR KNOWLEDGE OF THE PRODUCT AT THE TIME OF PUBLICATION, AND IS GIVEN IN GOOD FAITH. THE CONSEQUENCE RESULTING FROM ANY MISHANDLING OR MISUSE IS NOT THE RESPONSIBILITY OF ART SPECTRUM MANUFACTURING CO. PTY LTD.